

## Author Index

- Aguilar-Caballeros, M.P., see Sánchez-Martínez, M.L. 35
- Ahmed, S.A., see Soliman, E.M. 133
- Airolidi, C., see Lazarin, A.M. 89
- Alonso, R.M., see Oudou, H.C. 69
- Ando, M., see Uchiyama, S. 157
- Aoyagi, S., see Uchiyama, S. 157
- Arce, L., see Nozal, L. 21
- Bakker, E., see Sutter, J. 53
- Bao, L., see Zhu, X. 43
- Barna-Vetró, I., see Paepens, C. 229
- Bruun Hansen, H.C., see Oudou, H.C. 69
- Cai, H.  
—, Shang, C. and Hsing, I.-M.  
Sequence-specific electrochemical recognition of multiple species using nanoparticle labels 61
- Cazurro, C., see Pardo, R. 125
- Chen, D., see Yu, Y. 15
- Chen, D., see Zhou, H. 237
- Chen, J.  
—, Liu, X. and Shi, Y.-P.  
Determination of daphnetin in *Daphne tangutica* and its medicinal preparation by liquid chromatography 29
- Chen, J., see Jin, S. 117
- Chen, S.-H., see Lin, F.-M. 9
- Chen, X., see Zhang, Y. 171
- Chen, Z.  
—, Uchiyama, K. and Hobo, T.  
Chiral resolution of dansyl amino acids by ligand exchange-capillary electrophoresis using Cu(II)-L-prolinamides as chiral selector 1
- Chicharro, M.  
—, Sánchez, A., Zapardiel, A., Rubianes, M.D. and Rivas, G.  
Capillary electrophoresis of neurotransmitters with amperometric detection at melanin-type polymer-modified carbon electrodes 185
- Chimuka, L., see Cukrowska, E. 141
- Chomchoei, R., see Long, X. 279
- Cukrowska, E.  
—, Chimuka, L., Nsengimana, H. and Kwaramba, V.  
Application of supported liquid membrane probe for extraction and preconcentration of organotin compounds from environmental water samples 141
- Da, S.-L., see Fan, Y. 251
- Debán, L., see Pardo, R. 125
- Dempsey, J., see Wu, N. 149
- Dias, I.L.T., see Moreira, A.B. 49
- Ding, P., see Yu, Y. 15
- Dovletoglou, A., see Wu, N. 149
- Ellison, D., see Wu, N. 149
- El-Nemba, E.M., see Sweileh, J.A. 287
- Embrücu, M., see Quintella, C.M. 293
- Fan, C.  
—, Liu, X., Pang, J., Li, G. and Scheer, H.  
Highly sensitive voltammetric biosensor for nitric oxide based on its high affinity with hemoglobin 225
- Fan, Y.  
—, Feng, Y.-Q., Da, S.-L. and Shi, Z.-G.  
Poly (methacrylic acid-ethylene glycol dimethacrylate) monolithic capillary for in-tube solid phase microextraction coupled to high performance liquid chromatography and its application to determination of basic drugs in human serum 251
- Feng, Y.-Q., see Fan, Y. 251
- Gala, P., see Long, X. 279
- Gao, R.-Y., see Liu, Z.-S. 243
- Gil, A., see Zielinska, D. 177
- Glăb, S., see Radomska, A. 193
- Gómez-Hens, A., see Sánchez-Martínez, M.L. 35
- Gu, Q., see Zhang, Y. 171
- Guerra, C., see Pardo, R. 125
- Guerra, C.M., see Pardo, R. 125
- Guo, R., see Zhu, X. 43
- Hansen, E.H., see Long, X. 279
- He, D., see Zhou, H. 237
- Helena, B.A., see Pardo, R. 125
- Hirabayashi, G., see Sugawara, K. 75
- Hobo, T., see Chen, Z. 1
- Hon, P.Y.T., see Kwan, R.C.H. 81
- Hsing, I.-M., see Cai, H. 61
- Hu, Y., see Zhou, H. 237
- Huang, Y., see Zhou, H. 237
- Iwasaki, Y., see Kurihara, K. 165
- Jeanty, G.A.A.C.A., see Silva Nunes, G. 107
- Jin, S.  
—, Xu, Z., Chen, J., Liang, X., Wu, Y. and Qian, X.  
Determination of organophosphate and carbamate pesticides based on enzyme inhibition using a pH-sensitive fluorescence probe 117
- Kamiya, N., see Sugawara, K. 75
- King, A.J.  
—, Readman, J.W. and Zhou, J.L.  
Determination of polycyclic aromatic hydrocarbons in water by solid-phase microextraction–gas chromatography–mass spectrometry 259
- Koncki, R., see Radomska, A. 193
- Korn, M., see Quintella, C.M. 293
- Kou, H.-S., see Lin, F.-M. 9
- Kovala-Demertzi, D., see Roman, G. 201
- Kubota, L.T., see Moreira, A.B. 49
- Kuramitz, H., see Sugawara, K. 75
- Kurihara, K.  
—, Ohkawa, H., Iwasaki, Y., Niwa, O., Tobita, T. and Suzuki, K.  
Fiber-optic conical microsenors for surface plasmon resonance using chemically etched single-mode fiber 165

- Kwan, R.C.H.  
—, Hon, P.Y.T. and Renneberg, R.  
Amperometric biosensor for rapid determination of alanine 81  
Kwaramba, V., see Cukrowska, E. 141
- Lazarin, A.M.  
— and Airoidi, C.  
Intercalation of methylene blue into barium phosphate—synthesis and electrochemical investigation 89  
Leenheer, J.A., see Rostad, C.E. 269  
Léglise, I., see Paepens, C. 229  
Li, G., see Fan, C. 225  
Liang, X., see Jin, S. 117  
Lima, A.M.V., see Quintella, C.M. 293  
Lin, F.-M.  
—, Kou, H.-S., Wu, S.-M., Chen, S.-H. and Wu, H.-L.  
Capillary electrophoresis analysis of gabapentin and vigabatrin in pharmaceutical preparations as ofloxacin derivatives 9  
Liu, X., see Chen, J. 29  
Liu, X., see Fan, C. 225  
Liu, Z.-S.  
—, Xu, Y.-L., Yan, C. and Gao, R.-Y.  
Preparation and characterization of molecularly imprinted monolithic column based on 4-hydroxybenzoic acid for the molecular recognition in capillary electrochromatography 243
- Long, X.  
—, Chomchoei, R., Gala, P. and Hansen, E.H.  
Evaluation of a novel PTFE material for use as a means for separation and preconcentration of trace levels of metal ions in sequential injection (SI) and sequential injection lab-on-valve (SI-LOV) systems. Determination of cadmium(II) with detection by electrothermal atomic absorption spectrometry (ETAAS) 279
- Maksymiuk, K., see Michalska, A. 97  
Marty, J.-L., see Silva Nunes, G. 107  
Matsumura, E., see Uchiyama, S. 157  
Michalska, A.  
— and Maksymiuk, K.  
All-plastic, disposable, low detection limit ion-selective electrodes 97  
Moreira, A.B.  
—, Dias, I.L.T., Neto, G.O., Zagatto, E.A.G. and Kubota, L.T.  
Solid-phase fluorescence spectroscopy for the determination of acetylsalicylic acid in powdered pharmaceutical samples 49  
Musse, A.P.S., see Quintella, C.M. 293
- Nagels, L.J., see Zielinska, D. 177  
Neto, G.O., see Moreira, A.B. 49  
Niu, Y., see Zhang, S. 209  
Niwa, O., see Kurihara, K. 165  
Nozal, L.  
—, Arce, L., Ríos, A. and Valcárcel, M.  
Development of a screening method for analytical control of antibiotic residues by micellar electrokinetic capillary chromatography 21  
Nsengimana, H., see Cukrowska, E. 141
- Ohkawa, H., see Kurihara, K. 165  
Oudou, H.C.  
—, Alonso, R.M. and Bruun Hansen, H.C.  
Voltammetric behaviour of the synthetic pyrethroid lambda-cyhalothrin and its determination in soil and well water 69
- Paepens, C.  
—, Saeger, S.D., Sibanda, L., Barna-Vetró, I., Léglise, I., Van Hove, F. and Peteghem, C.V.  
A flow-through enzyme immunoassay for the screening of fumonisins in maize 229
- Pandey, P.C.  
—, Upadhyay, B.C. and Upadhyay, A.K.  
Differential selectivity in electrochemical oxidation of ascorbic acid and hydrogen peroxide at the surface of functionalized ormosil-modified electrodes 219  
Pang, J., see Fan, C. 225  
Pappas, A.Ch., see Roman, G. 201  
Pardo, R.  
—, Helena, B.A., Cazorro, C., Guerra, C., Debán, L., Guerra, C.M. and Vega, M.  
Application of two- and three-way principal component analysis to the interpretation of chemical fractionation results obtained by the use of the B.C.R. procedure 125  
Pepe, I., see Quintella, C.M. 293  
Peper, S., see Sutter, J. 53  
Peteghem, C.V., see Paepens, C. 229  
Pietraszkiewicz, M., see Zielinska, D. 177  
Pietraszkiewicz, O., see Zielinska, D. 177  
Pretsch, E., see Sutter, J. 53  
Prodromidis, M.I., see Roman, G. 201  
Pyrzyńska, K., see Radomska, A. 193
- Qian, X., see Jin, S. 117  
Quintella, C.M.  
—, Watanabe, Y.N., Lima, A.M.V., Korn, M., Pepe, I., Embiruçu, M. and Musse, A.P.S.  
Evaluation of transversal and longitudinal dispersion in a flow injection system by exploiting laser induced fluorescence: influence of flow-cell positioning 293
- Radomska, A.  
—, Koncki, R., Pyrzyńska, K. and Głab, S.  
Bioanalytical system for control of hemodialysis treatment based on potentiometric biosensors for urea and creatinine 193  
Radu, A., see Sutter, J. 53  
Readman, J.W., see King, A.J. 259  
Renneberg, R., see Kwan, R.C.H. 81  
Rivas, G., see Chicharro, M. 185  
Roman, G.  
—, Pappas, A.Ch., Kovala-Demertzi, D. and Prodromidis, M.I.  
Preparation of a 2-(4-fluorophenyl)indole-modified xerogel and its use for the fabrication of screen-printed electrodes for the electrocatalytic determination of sulfide 201  
Ríos, A., see Nozal, L. 21  
Rostad, C.E.  
— and Leenheer, J.A.  
Factors that affect molecular weight distribution of Suwannee river fulvic acid as determined by electrospray ionization/mass spectrometry 269  
Rubianes, M.D., see Chicharro, M. 185
- Saeger, S.D., see Paepens, C. 229  
Saleh, M.B., see Soliman, E.M. 133  
Scheer, H., see Fan, C. 225  
Shang, C., see Cai, H. 61  
Shi, Y.-P., see Chen, J. 29  
Shi, Z.-G., see Fan, Y. 251  
Shirotori, T., see Sugawara, K. 75  
Sibanda, L., see Paepens, C. 229  
Silva Nunes, G.  
—, Jeanty, G.A.A.C.A. and Marty, J.-L.  
Enzyme immobilization procedures on screen-printed electrodes used for the detection of anticholinesterase pesticides Comparative study 107  
Sánchez, A., see Chicharro, M. 185  
Sánchez-Martínez, M.L.  
—, Aguilar-Caballeros, M.P. and Gómez-Hens, A.  
Homogeneous stopped-flow fluorimunoassay for gliadin determination in food samples 35

- Soliman, E.M.  
—, Saleh, M.B. and Ahmed, S.A.  
New solid phase extractors for selective separation and preconcentration of mercury (II) based on silica gel immobilized aliphatic amines 2-thiophenecarboxaldehyde Schiff's bases 133
- Sugawara, K.  
—, Shirotori, T., Hirabayashi, G., Kamiya, N., Kuramitz, H. and Tanaka, S.  
Voltammetric investigation of avidin-biotin complex formation using an electroactive bisbiotinyl compound 75
- Sun, C., see Zhang, S. 209
- Sutter, J.  
—, Radu, A., Peper, S., Bakker, E. and Pretsch, E.  
Solid-contact polymeric membrane electrodes with detection limits in the subnanomolar range 53
- Suzuki, K., see Kurihara, K. 165
- Sweilheh, J.A.  
— and El-Nemima, E.M.  
On-line elimination of spectral interference of iron matrix in the flame atomic absorption determination of zinc by anion-exchange separation 287
- Tanaka, S., see Sugawara, K. 75
- Tobita, T., see Kurihara, K. 165
- Uchiyama, K., see Chen, Z. 1
- Uchiyama, S.  
—, Matsushima, E., Aoyagi, S. and Ando, M.  
Measurement of acid-catalyzed isomerization of unsaturated aldehyde-2,4-dinitrophenylhydrazone derivatives by high-performance liquid chromatography analysis 157
- Upadhyay, A.K., see Pandey, P.C. 219
- Upadhyay, B.C., see Pandey, P.C. 219
- Valcárcel, M., see Nozal, L. 21
- Van de Vijver, D., see Zielinska, D. 177
- Van Hove, F., see Paepens, C. 229
- Vega, M., see Pardo, R. 125
- Watanabe, Y.N., see Quintella, C.M. 293
- Wu, H.-L., see Lin, F.-M. 9
- Wu, J., see Zhu, X. 43
- Wu, N.  
—, Dempsey, J., Yehl, P.M., Dovletoglou, A., Ellison, D. and Wyvratt, J.  
Practical aspects of fast HPLC separations for pharmaceutical process development using monolithic columns 149
- Wu, S.-M., see Lin, F.-M. 9
- Wu, Y., see Jin, S. 117
- Wyvratt, J., see Wu, N. 149
- Xu, Y.-L., see Liu, Z.-S. 243
- Xu, Z., see Jin, S. 117
- Yan, C., see Liu, Z.-S. 243
- Yang, W., see Zhang, S. 209
- Yehl, P.M., see Wu, N. 149
- Yu, Y.  
—, Ding, P. and Chen, D.  
Determination of quinolizidine alkaloids in *Sophora* medicinal plants by capillary electrophoresis 15
- Zagatto, E.A.G., see Moreira, A.B. 49
- Zapardiel, A., see Chicharro, M. 185
- Zhang, S.  
—, Yang, W., Niu, Y. and Sun, C.  
Multilayered construction of glucose oxidase on gold electrodes based on layer-by-layer covalent attachment 209
- Zhang, Y.  
—, Chen, X., Gu, Q. and Zhong, D.  
Quantification of rabeprazole in human plasma by liquid chromatography-tandem mass spectrometry 171
- Zhang, Z., see Zhou, H. 237
- Zhong, D., see Zhang, Y. 171
- Zhou, H.  
—, Zhang, Z., He, D., Hu, Y., Huang, Y. and Chen, D.  
Flow chemiluminescence sensor for determination of clenbuterol based on molecularly imprinted polymer 237
- Zhou, J.L., see King, A.J. 259
- Zhu, X.  
—, Bao, L., Guo, R. and Wu, J.  
Determination of aluminium(III) in water samples in a microemulsion system by spectrofluorimetry 43
- Zielinska, D.  
—, Gil, A., Pietraszkiewicz, M., Pietraszkiewicz, O., Van de Vijver, D. and Nagels, L.J.  
Podand and macrocyclic amine receptors with urea functionalities for potentiometric detection of organic acids in HPLC 177



